

Message

---

**From:** Shafer, Kevin [KShafer@mmsd.com]  
**Sent:** 6/6/2017 11:58:34 PM  
**To:** Maraldo, Dean [Maraldo.Dean@epa.gov]  
**CC:** Anthony, Susan [SAnthony@mmsd.com]  
**Subject:** Fwd: MMSD Milorganite Issue  
**Attachments:** WI0036820\_MMSD\_AOCDraft\_2017-6-6.pdf; ATT00001.htm; ATT00002.htm

Hi Dean - send me some dates/times that we can come to Chicago to discuss this issue.

Sent from my iPhone

Begin forwarded message:

**From:** "Korleski, Christopher" <korleski.christopher@epa.gov>  
**To:** "Shafer, Kevin" <KShafer@mmsd.com>  
**Cc:** "Kaplan, Robert" <kaplan.robert@epa.gov>  
**Subject:** MMSD Milorganite Issue

Hello Kevin –

As promised earlier today, I attach for your review a proposed Administrative Order on Consent (AOC) that would resolve with finality the violations of the Clean Water Act (CWA) that EPA believes occurred at the Biosolids Dewatering and Drying Facility, located within the Jones Island Water Reclamation Facility in Milwaukee, Wisconsin. On March, 14, 2017, EPA identified several violations during an inspection at the facility, including improper temperature monitoring for the heat drying process used to reduce pathogens, and deficiencies in pathogen and moisture sampling protocols. For your convenience, EPA's inspection report is enclosed.

I am happy to discuss with you further, but I reiterate EPA's belief that the use of an agreed-upon AOC is the most appropriate and efficient way to resolve this matter. I also recommend, for purposes of setting up calls or meetings to further discuss this matter or for asking legal or technical questions, that appropriate MMSD staff reach out to EPA's key contacts on this matter: Dean Maraldo, Water Division at (312) 353-2098 or Matthew Moore, Office of Regional Counsel at (312) 353-5624.

Thanks.

Chris

---

Chris Korleski  
 Director, Water Division, Region 5  
 U.S. Environmental Protection Agency  
 77 W. Jackson Blvd. (W-15J)  
 Chicago, IL 60604  
 312 886-1432 (Liz Rosado, Assistant)  
 312 353-5498 (General Office Number)  
[korleski.christopher@epa.gov](mailto:korleski.christopher@epa.gov)